ArcPower 16x6 - DMX protocol, version 1.1

RGB operation

Mode 1	Mode 2	Val	Francis	Type of con-
Channel	Channel	Value	Function	trol
			ZONE 1	
1	1	0-255	Red LED 1 Red LED saturation control (0-100%)	proportional
2	2	0-255	Green LED 1 Green LED saturation control (0-100%)	proportional
3	3	0-255	Blue LED 1 Blue LED saturation control (0-100%)	proportional
	Y		ZONE 2	
4	4	0-255	Red LED 2 Red LED saturation control (0-100%)	proportional
5	5	0-255	Green LED 2 Green LED saturation control (0-100%)	proportional
6	6	0-255	Blue LED 2 Blue LED saturation control (0-100%)	proportional
			ZONE 3	
7	7	0-255	Red LED 3 Red LED saturation control (0-100%)	proportional
8	8	0-255	Green LED 3 Green LED saturation control (0-100%)	proportional
9	9	0-255	Blue LED 3 Blue LED saturation control (0-100%)	proportional
			ZONE 4	
10	10	0-255	Red LED 4 Red LED saturation control (0-100%)	proportional
11	11	0-255	Green LED 4 Green LED saturation control (0-100%)	proportional
12	12	0-255	Blue LED 4 Blue LED saturation control (0-100%)	proportional
	Y .		ZONE 5	
13	13	0-255	Red LED 5 Red LED saturation control (0-100%)	proportional
14	14	0-255	Green LED 5 Green LED saturation control (0-100%)	proportional
15	15	0-255	Blue LED 5 Blue LED saturation control (0-100%)	proportional
	Y		ZONE 6	
16	16	0-255	Red LED 6 Red LED saturation control (0-100%)	proportional
17	17	0-255	Green LED 6 Green LED saturation control (0-100%)	proportional
18	18	0-255	Blue LED 6 Blue LED saturation control (0-100%)	proportional
	,		ZONE 7	
19	19	0-255	Red LED 7 Red LED saturation control (0-100%)	proportional
20	20	0-255	Green LED 7 Green LED saturation control (0-100%)	proportional
21	21	0-255	Blue LED 7 Blue LED saturation control (0-100%)	proportional
	,		ZONE 8	
22	22	0-255	Red LED 8 Red LED saturation control (0-100%)	proportional
23	23	0-255	Green LED 8 Green LED saturation control (0-100%)	proportional
24	24	0-255	Blue LED 8 Blue LED saturation control (0-100%)	proportional

Mode 1	Mode 2	Value	Function	Type of con-		
Channel	Channel	value	Function	trol		
ZONE 9						
25	25	0-255	Red LED 9 Red LED saturation control (0-100%)	proportional		
26	26	0-255	Green LED 9 Green LED saturation control (0-100%)	proportional		
27	27	0-255	Blue LED 9 Blue LED saturation control (0-100%)	proportional		
	ZONE 10					
28	28	0-255	Red LED 10 Red LED saturation control (0-100%)	proportional		
29	29	0-255	Green LED 10 Green LED saturation control (0-100%)	proportional		
30	30	0-255	Blue LED 10 Blue LED saturation control (0-100%)	proportional		
			ZONE 11			
31	31	0-255	Red LED 11 Red LED saturation control (0-100%)	proportional		
32	32	0-255	Green LED 11 Green LED saturation control (0-100%)	proportional		
33	33	0-255	Blue LED 11 Blue LED saturation control (0-100%)	proportional		
			ZONE 12	'		
34	34	0-255	Red LED 12 Red LED saturation control (0-100%)	proportional		
35	35	0-255	Green LED 12 Green LED saturation control (0-100%)	proportional		
36	36	0-255	Blue LED 12 Blue LED saturation control (0-100%)	proportional		
ZONE 13						
37	37	0-255	Red LED 13 Red LED saturation control (0-100%)	proportional		
38	38	0-255	Green LED 13 Green LED saturation control (0-100%)	proportional		
39	39	0-255	Blue LED 13 Blue LED saturation control (0-100%)	proportional		
			ZONE 14			
40	40	0-255	Red LED 14 Red LED saturation control (0-100%)	proportional		
41	41	0-255	Green LED 14 Green LED saturation control (0-100%)	proportional		
42	42	0-255	Blue LED 14 Blue LED saturation control (0-100%)	proportional		
			ZONE 15			
43	43	0-255	Red LED 15 Red LED saturation control (0-100%)	proportional		
44	44	0-255	Green LED 15 Green LED saturation control (0-100%)	proportional		
45	45	0-255	Blue LED 15 Blue LED saturation control (0-100%)	proportional		
ZONE 16						
46	46	0-255	Red LED 16 Red LED saturation control (0-100%)	proportional		
47	47	0-255	Green LED 16 Green LED saturation control (0-100%)	proportional		
48	48	0-255	Blue LED 16 Blue LED saturation control (0-100%)	proportional		

Mode 1	Mode 2	- Value	Function	Type of con-
Channel	Channel		Function	trol
-	49	0-31 32-63 64-95 96-127 128-143 144-159 160-255	Shutter/Strobe Shutter closed Shutter open Strobe-effect from slow to fast Shutter open Opening pulses in sequences slow> fast Closing pulses in sequences fast> slow Shutter open	step step proportional step proportional proportional step
-	50	0-255	Dimmer Dimmer intensity from 0% to 100%	proportional

RGBW operation

Mode 1	Mode 2			Type of con-
Channel	Channel	Value	Function	trol
			ZONE 2	I
4	4	0-255	Red LED 2 Red LED saturation control (0-100%)	proportional
5	5	0-255	Green LED 2 Green LED saturation control (0-100%)	proportional
6	6	0-255	Blue LED 2 Blue LED saturation control (0-100%)	proportional
3	3	0-255	White LED 2 Blue LED saturation control (0-100%)	proportional
	1		ZONE 3	
7	7	0-255	Red LED 3 Red LED saturation control (0-100%)	proportional
8	8	0-255	Green LED 3 Green LED saturation control (0-100%)	proportional
9	9	0-255	Blue LED 3 Blue LED saturation control (0-100%)	proportional
2	2	0-255	White LED 3 Blue LED saturation control (0-100%)	proportional
	1		ZONE 4	
10	10	0-255	Red LED 4 Red LED saturation control (0-100%)	proportional
11	11	0-255	Green LED 4 Green LED saturation control (0-100%)	proportional
12	12	0-255	Blue LED 4 Blue LED saturation control (0-100%)	proportional
1	1	0-255	White LED 4 Blue LED saturation control (0-100%)	proportional
	1 1		ZONE 6	<u> </u>
16	16	0-255	Red LED 6 Red LED saturation control (0-100%)	proportional
17	17	0-255	Green LED 6 Green LED saturation control (0-100%)	proportional
18	18	0-255	Blue LED 6 Blue LED saturation control (0-100%)	proportional
15	15	0-255	White LED 6 Blue LED saturation control (0-100%)	proportional
	1		ZONE 7	
19	19	0-255	Red LED 7 Red LED saturation control (0-100%)	proportional
20	20	0-255	Green LED 7 Green LED saturation control (0-100%)	proportional
21	21	0-255	Blue LED 7 Blue LED saturation control (0-100%)	proportional
14	14	0-255	White LED 7 Blue LED saturation control (0-100%)	proportional
	,		ZONE 8	
22	22	0-255	Red LED 8 Red LED saturation control (0-100%)	proportional
23	23	0-255	Green LED 8 Green LED saturation control (0-100%)	proportional
24	24	0-255	Blue LED 8 Blue LED saturation control (0-100%)	proportional
13	13	0-255	White LED 8 Blue LED saturation control (0-100%)	proportional

Mode 1	Mode 2	Value	Function	Type of con-		
Channel	Channel	Value		trol		
ZONE 10						
28	28	0-255	Red LED 10 Red LED saturation control (0-100%)	proportional		
29	29	0-255	Green LED 10 Green LED saturation control (0-100%)	proportional		
30	30	0-255	Blue LED 10 Blue LED saturation control (0-100%)	proportional		
27	27	0-255	White LED 10 Blue LED saturation control (0-100%)	proportional		
			ZONE 11			
31	31	0-255	Red LED 11 Red LED saturation control (0-100%)	proportional		
32	32	0-255	Green LED 11 Green LED saturation control (0-100%)	proportional		
33	33	0-255	Blue LED 11 Blue LED saturation control (0-100%)	proportional		
26	26	0-255	White LED 11 Blue LED saturation control (0-100%)	proportional		
			ZONE 12			
34	34	0-255	Red LED 12 Red LED saturation control (0-100%)	proportional		
35	35	0-255	Green LED 12 Green LED saturation control (0-100%)	proportional		
36	36	0-255	Blue LED 12 Blue LED saturation control (0-100%)	proportional		
12	12	0-255	White LED 12 Blue LED saturation control (0-100%)	proportional		
	ZONE 14					
40	40	0-255	Red LED 14 Red LED saturation control (0-100%)	proportional		
41	41	0-255	Green LED 14 Green LED saturation control (0-100%)	proportional		
42	42	0-255	Blue LED 14 Blue LED saturation control (0-100%)	proportional		
39	39	0-255	White LED 14 Blue LED saturation control (0-100%)	proportional		
			ZONE 15			
43	43	0-255	Red LED 15 Red LED saturation control (0-100%)	proportional		
44	44	0-255	Green LED 15 Green LED saturation control (0-100%)	proportional		
45	45	0-255	Blue LED 15 Blue LED saturation control (0-100%)	proportional		
38	38	0-255	White LED 15 Blue LED saturation control (0-100%)	proportional		
	ZONE 16					
46	46	0-255	Red LED 16 Red LED saturation control (0-100%)	proportional		
47	47	0-255	Green LED 16 Green LED saturation control (0-100%)	proportional		
48	48	0-255	Blue LED 16 Blue LED saturation control (0-100%)	proportional		
37	37	0-255	White LED 16 Blue LED saturation control (0-100%)	proportional		

Mode 1	Mode 2	- Value	Function	Type of con-
Channel	Channel		Function	trol
-	49	0-31 32-63 64-95 96-127 128-143 144-159 160-255	Shutter/Strobe Shutter closed Shutter open Strobe-effect from slow to fast Shutter open Opening pulses in sequences slow> fast Closing pulses in sequences fast> slow Shutter open	step step proportional step proportional proportional step
-	50	0-255	Dimmer Dimmer intensity from 0% to 100%	proportional